

MADE IN ITALY. MADE TO EXCEL.

MARVEL

DIVA

Interactive version

MARBLE LOOK

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com



INDEX

- INSPIRATION
- IMAGE GALLERY
- SURFACE RANGE & TECHNICAL SPECIFICATION

INDEX



INSPIRATION



IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



ICONIC LIKE A DIVA.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Polished surface
PORCELAIN TILES



Velvet surface
PORCELAIN TILES
Velvetech



OUR BEST
SELECTION
OF FINISHES.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Silk surface
PORCELAIN TILES



INDEX



INSPIRATION



IMAGE
GALLERY




SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Matte surface
PORCELAIN TILES
Sensitech



TEXTURES THAT AMPLIFY
THE BEAUTY OF MARBLE.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Reliefs on veins
Sky Stone | Wall Tiles 50x120 Field

Field surface

Shiny effects on veins



Ice Crystal, White Everest, Taj Mahal | Wall Tiles 50x120 Field

3D Crease surface

Matte 3D texture



Ice Crystal, White Everest | Wall Tiles 50x120

Image Gallery

↔ Kitchen - Baobab - Baobab



↔ Hotel Lobby - Ice Crystal



↔ Luxury Store - Sky Stone



↔ Suite Bedroom with Bathroom
↔ White Everest



↔ Livingroom
↔ Precious Brown | Taj Mahal



↔ Bathroom - Taj Mahal



↔ Livingroom And Kitchen
↔ Precious Brown | Taj Mahal



↔ Kitchen - Black Tempest



↔ Bar - Galaxy



↔ Spa - Aqua



↔ Bathroom - Amethyst



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST



BAOBAB

EXPRESSIVE COLORS.



FLOOR
Atlas Plan
Boost Balance Ash
Matte
160x320 cm | 63"x126"

COUNTERTOP | FURNITURE
Atlas Plan
Baobab
Polished
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
FLOOR
Atlas Plan
Boost Balance Ash
Matte
160x320 cm | 63"x126"

COUNTERTOP | FURNITURE
Atlas Plan
Baobab
Polished
162x324 cm | 63³/₄"x127¹/₂"

<
FLOOR
Atlas Plan
Boost Balance Ash
Matte
160x320 cm | 63"x126"

WALL
Atlas Plan
Baobab
Polished
160x320 cm | 63"x126"

Marvel Diva
Baobab Mosaico Hex
Polished
40,3x23,3 cm – 15⁷/₈"x9¹/₈"

DINING TABLE | **INCONTRO 75**
Atlas Concorde Habitat
Boost Smoke
Matte
100x180 cm | 39³/₈"x70⁷/₈"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



ICE CRYSTAL
RAREST PURITY.



FLOOR
Marvel Diva
Ice Crystal
Polished
120x240 cm | 47¹/₄"x94¹/₂"

STAIRS
Boost Balance
Ash
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
Ice Crystal
Polished
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^	FLOOR	STAIRS	WALL
	Marvel Diva Ice Crystal Polished 120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	Boost Balance Ash Matte Sensitech 120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	Marvel Diva Ice Crystal Polished 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "
<	FLOOR	WALL	DESK
	Marvel Diva Ice Crystal Polished 120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	Atlas Plan Ice Crystal Bookmatch Polished 160x320 cm 63"x126"	Atlas Plan Ice Crystal Polished 162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





SKY STONE

LIMITLESS HORIZON.

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR	WALL	DESK
Boost Balance	Marvel Diva	Atlas Plan
Ash	Sky Stone	Sky Stone
Matte Sensitech	Silk	Silk
120x120 cm 47 1/4"x47 1/4"	120x278 cm 47 1/4"x109 1/2"	162x324 cm 63 3/4"x127 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost Balance

Ash

Matte Sensitech

120x120 cm | 47¹/₄"x47¹/₄"

WALL

Marvel Diva

Sky Stone

Silk

120x278 cm | 47¹/₄"x109¹/₂"

Marvel Diva

Sky Stone Mosaico Grid

Velvet Velvetech

59,5x118,2 cm | 23³/₈"x46¹/₂"



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Balance
Ash
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
Sky Stone Field
Matte
50x120 cm | 47¹/₄"x19⁵/₈"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





WHITE EVEREST

ENDURING ATTITUDE.

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Balance
Pearl
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Diva
White Everest
Silk
120x278 cm | 47 1/4"x109 1/2"

OUTDOOR FLOOR
Boost Balance
Pearl
Outdoor Sensitech 20mm
120x120 cm | 47 1/4"x47 1/4"

OUTDOOR WALL
Boost Balance
Pearl
Matte
120x278 cm | 47 1/4"x109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
WALL
Marvel Diva
White Everest Field
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

<
FLOOR
Marvel Diva
White Everest
Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
White Everest 3D Crease
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



TAJ MAHAL
MEET THE ETERNITY.



FLOOR
Marvel Diva
Taj Mahal
Velvet Velvtech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Diva
Taj Mahal
Silk
120x278 cm | 47 1/4"x109 1/2"

Marvel Diva
Precious Brown
Silk
120x278 cm | 47 1/4"x109 1/2"

FIREPLACE DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvtech
59,5x118,2 cm | 23 3/8"x46 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Marvel Diva
Taj Mahal
Velvet Velvettech
120x120 cm | 47¹/₄"x47¹/₄"

FIREPLACE DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvettech
59,5x118,2 cm | 23³/₈"x46¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Marvel Diva
Taj Mahal
Velvet Velvtech
120x120 cm | 47¹/₄"x47¹/₄"

SHOWER FLOOR
Log
Icon Oak Forest
Grip Sensitech
20x120 cm | 7⁷/₈"x47¹/₄"

WALL
Marvel Diva
Taj Mahal Field
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SHOWER DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvtech
59,5x118,2 cm | 23³/₈"x46¹/₂"

SINKS | EVOLUZIONE - BLOCK
Atlas Concorde Habitat
Marvel Diva Precious Brown Silk
Biscuit Grey Basin
85x45 cm | 33¹/₂"x17³/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
WALL
Marvel Diva
Taj Mahal Field
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

<
FLOOR
Marvel Diva
Taj Mahal
Velvet Velvettech
120x120 cm | 47¹/₄"x47¹/₄"

SHOWER FLOOR
Log
Icon Oak Forest
Grip Sensitech
20x120 cm | 7⁷/₈"x47¹/₄"

SHOWER DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvettech
59,5x118,2 cm | 23³/₈"x46¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



PRECIOUS BROWN

WARM EXPLOSION.



^				
WALL				
Marvel Diva				
Precious Brown				
Silk				
120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "				
>				
FLOOR				
Atlas Plan				
Boost Balance Ash				
Matte				
160x320 cm 63"x126"				
WALL				
Atlas Plan				
Marvel Diva Taj Mahal				
Silk				
160x320 cm 63"x126"				
Atlas Plan				
Precious Brown				
Silk				
160x320 cm 63"x126"				
COUNTERTOP FURNITURE				
Atlas Plan				
Taj Mahal				
Silk				
162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "				
DINING TABLE INCONTRO 75				
Atlas Concorde Habitat				
Precious Brown				
Silk				
100x180 cm 39 ³ / ₈ "x70 ⁷ / ₈ "				



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



BLACK TEMPEST
NUANCES OF DARKNESS.



FLOOR
Boost Balance
Smoke
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Diva
Black Tempest
Silk
120x278 cm | 47 1/4"x109 1/2"

BACKSPLASH
Marvel Diva
Black Tempest Mosaico Chevron
Velvet Velvetech
17,5x46,3 cm | 6 7/8"x18 1/4"

COUNTERTOP | FURNITURE
Atlas Plan
Black Tempest
Silk
162x324 cm | 63 3/4"x127 1/2"

Atlas Plan
Noce Canaletto
Matte
160x320 cm | 63"x126"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
BACKSPLASH
Marvel Diva
Black Tempest Mosaico Chevron
Velvet Velvettech
17,5x46,3 cm | 6⁷/₈"x18¹/₄"

>
FLOOR
Boost Balance
Smoke
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

COUNTERTOP | FURNITURE
Atlas Plan
Black Tempest
Silk
162x324 cm | 63³/₄"x127¹/₂"

Atlas Plan
Noce Canaletto
Matte
160x320 cm | 63"x126"



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



GALAXY
COSMIC DETAILS.



FLOOR

Boost Balance Grey

Matte Sensitech

120x120 cm | 47 1/4"x47 1/4"

WALL

Marvel Diva Galaxy

Polished

120x278 cm | 47 1/4"x109 1/2"

FURNITURE

Marvel Diva Galaxy

Polished

120x278 cm | 47 1/4"x109 1/2"

INDEX



INSPIRATION



IMAGE GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR	WALL	FURNITURE
Boost Balance	Marvel Diva	Marvel Diva
Grey	Galaxy	Galaxy
Matte Sensitech	Polished	Polished
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



AQUA
REFLECTION OF NATURE.



FLOOR
Marvel Shine
Calcatta Delicato
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
Marvel Diva
Aqua
Polished
120x278 cm | 47 1/4"x109 1/2"

FURNITURE
Marvel Diva
Aqua
Polished
120x278 cm | 47 1/4"x109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR Marvel Shine Calcatta Delicato Matte Sensitech 120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	WALL Marvel Diva Aqua Polished 120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	Marvel Diva Aqua Mosaico Triangle Polished 28,9x33,4 cm 11 ³ / ₈ "x13 ¹ / ₈ "
TOP EVOLUZIONE - DUO Atlas Concorde Habitat Marvel Diva Aqua Polished Rectangular Grey Basin 240x45x12 cm 94 ¹ / ₂ "x17 ³ / ₄ "x4 ³ / ₄ "	SHELF ESSENZA - THIN Atlas Concorde Habitat Marvel Diva Aqua Polished 240x35x5 cm 94 ¹ / ₂ "x13 ³ / ₄ "x2"	SIDE TABLE CONTATTO Atlas Concorde Habitat Black Lava Leathered ø 45 cm 17 ³ / ₄ "



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



AMETHYST
PRECIOUS ESSENCE.



FLOOR

Boost Natural
Kaolin
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL

Marvel Diva
Amethyst
Polished
120x278 cm | 47 1/4"x109 1/2"

Marvel Diva
Amethyst Mosaico Twist
Polished
27,6x35 cm | 10 7/8"x13 3/4"

VANITY UNIT | **ARMONIA**
Atlas Concorde Habitat
Marvel Diva Amethyst
Polished
240x50x53 cm – 90 1/2"x19 5/8"x20 7/8"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
FLOOR
Boost Natural Kaolin
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva Amethyst
Polished
120x278 cm | 47¹/₄"x109¹/₂"

<
FLOOR
Boost Natural Kaolin
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva Amethyst Mosaico Twist
Polished
27,6x35 cm | 10⁷/₈"x13³/₄"

VANITY UNIT | **ARMONIA**
Atlas Concorde Habitat Marvel Diva Amethyst
Polished
240x50x53 cm - 90¹/₂"x19⁵/₈"x20⁷/₈"

INDEX



INSPIRATION



IMAGE GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◇ MARVEL DIVA RANGE
- ◇ SENSITECH & VELVETECH TECHNOLOGY
- ◇ TECHNICAL SPECIFICATIONS
- ◇ MARVEL WORLD

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE
SENSITECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY
THE VIDEO



Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Ice Crystal	White Everest	Taj Mahal	Amethyst	Precious Brown
Floor	Wall	Bathroom furniture				
160x320* cm - 63"x126"	± 6 mm	Polished ● Silk ●	Silk ■	Polished ● Silk ●		Silk ■
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished ● Silk ●	Polished ● Silk ●	Polished ● Silk ●	Polished ●	Silk ●
120x240 cm - 47 1/4"x94 1/2"	± 9 mm	Polished	Polished	Polished		
120x120 cm - 47 1/4"x47 1/4"	± 9 mm	Velvet Velvetch	Velvet Velvetch	Velvet Velvetch		
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Polished Velvet Velvetch Matte Sensitech	Polished Velvet Velvetch Matte Sensitech	Polished Velvet Velvetch Matte Sensitech	Polished	Velvet Velvetch
Slabs for countertops and furniture						
162x324* cm - 63 3/4"x127 1/2"	± 12 mm	Polished ■ Silk ■	Silk ■	Polished ■ Silk ■		Silk ■
> Non rectified Non rettificato				Polished		
159x324* cm - 62 5/8"x127 1/2"	± 20 mm					
> Non rectified Non rettificato						
* Atlas Plan		■ Also available in bookmatch		● Also available kit endless		
		Aqua	Baobab	Sky Stone	Galaxy	Black Tempest
Floor	Wall	Bathroom furniture				
160x320* cm - 63"x126"	± 6 mm		Polished ●			
120x278 cm - 47 1/4"x109 1/2"	± 6 mm	Polished ●	Polished ●	Silk ●	Polished ●	Silk ●
120x240 cm - 47 1/4"x94 1/2"	± 9 mm					
120x120 cm - 47 1/4"x47 1/4"	± 9 mm					
60x120 cm - 23 5/8"x47 1/4"	± 9 mm	Polished	Polished	Velvet Velvetch	Polished	Velvet Velvetch
Slabs for countertops and furniture						
162x324* cm - 63 3/4"x127 1/2"	± 12 mm		Polished ■	Silk ■		Silk ■
> Non rectified Non rettificato						
* Atlas Plan		■ Also available in bookmatch		● Also available kit endless		

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



		Ice Crystal	White Everest	Taj Mahal	Sky Stone
Wall					
50x120 cm - 19 5/8"x47 1/4"	Field	Matte	Matte	Matte	Matte
50x120 cm - 19 5/8"x47 1/4"	3D Crease	Matte	Matte		

Sensitech pag.90 **Velvetch** pag.91

Note on Polished and Velvet surface finish / **Nota sulla finitura Lappata e Velvet.** **pag.92**

The Polished and Velvet finishes are suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching. The glossy Polished finish offers a surprisingly bright, mirrored surface with slight irregularities typical of natural marbles. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. The Velvet surface replicates the effect of semi-Polished marble. It has a velvety touch and silky highlights. The natural character of the surface is highlighted by areas of different opacity perceptible in oblique or reflected light. Le finiture Lappata e Velvet sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. La finitura Lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. La superficie Velvet replica l'effetto di un marmo levigato. Si distingue per la mano vellutata e per i riflessi semi-opachi. La naturalezza della superficie è evidenziata da zone di diversa opacità percettibili in luce radente o riflessa.

Destination of use		Anti-slip		Color-shading	
 Light Traffic	Velvet Velvetch 9 mm	 Medium Traffic	Silk ± 6 mm Polished ± 6-9 mm ±	 Heavy Traffic	Matte Sensitech ± 9 mm
			 R10 B		 V3 Moderate Variation All colors



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE
SENSITECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY
THE VIDEO



Kit Endless

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Marvel Diva Ice Crystal ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Amethyst ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva White Everest ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Precious Brown ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *




Marvel Diva Taj Mahal ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Aqua ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Baobab ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Galaxy ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Sky Stone ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *



Marvel Diva Black Tempest ^{(1) (2)}
120x278 cm - 47 7/8"x109 1/2"

Kit Endless also available. *

* **The Endless Kits guarantee the presence of the exact sequence of graphics inside the packaging.** - I Kit Endless garantiscono la presenza dell'esatta sequenza delle grafiche all'interno dell'imballo. - Les Kit Endless garantissent la présence de la séquence exacte des graphismes à l'intérieur de l'emballage. - Kit Endless garantiert die exakten grafischen Sequenzen in der Packung. - Комплекты Kit Endless обеспечивают наличие точной последовательности рисунков внутри упаковки.

⁽¹⁾ **The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur delle caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

⁽²⁾ **Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.** - Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité des veinures entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. Eventuelle kleine Versätze im Verlauf der Aderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. - Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. - Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE
SENSITECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY
THE VIDEO



Twist Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит

V3 Moderate Variation
All colors



Marvel Diva Twist Ice Crystal
Polished
27,6x35 cm - 10⁷/₈"x13³/₄"




Marvel Diva Twist White Everest
Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



Marvel Diva Twist Taj Mahal
Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



Marvel Diva Twist Amethyst
Polished
27,6x35 cm - 10⁷/₈"x13³/₄"




A 35 cm - 13³/₄"
B 27,6 cm - 10⁷/₈"



V3 Moderate Variation
All colors

Chevron Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит



A 46,3 cm - 6⁷/₈"
B 17,5 cm - 18¹/₄"



Marvel Diva Chevron Ice Crystal
Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



Marvel Diva Chevron White Everest
Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



Marvel Diva Chevron Taj Mahal
Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



Marvel Diva Chevron Black Tempest
Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE
SENSITECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD


ENJOY
THE VIDEO



Hex Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит

V3 Moderate Variation
All colors



Marvel Diva Hex Ice Crystal
Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



Marvel Diva Hex White Everest
Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"




Marvel Diva Hex Taj Mahal
Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



Marvel Diva Hex Baobab
Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"

Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.
Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive.

V3 Moderate Variation
All colors



Marvel Diva Triangle Ice Crystal
Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"



Marvel Diva Triangle White Everest
Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"



Marvel Diva Triangle Taj Mahal
Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"



Marvel Diva Triangle Aqua
Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE
SENSITECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD


ENJOY
THE VIDEO



Grid Decor

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит

V3 Moderate Variation
All colors



Marvel Diva Grid Ice Crystal
Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



Marvel Diva Grid White Everest
Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"

Metal insert. We recommend use of a neutral detergent. Do not use acid, alkaline or waxing products or metal scouring pads. Detergents may cause a light loss of colour of the metallic insert, due to either repetitive use or too long contact time.

Inserto metallico. Si consiglia l'utilizzo di un comune detergente neutro, evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo. I detergenti, anche di uso comune, possono portare ad una leggera perdita di colore della bacchetta stessa, o per uso ripetuto o per tempo di contatto troppo elevato.



Marvel Diva Grid Taj Mahal
Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



Marvel Diva Grid Sky Stone
Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS




MARVEL DIVA RANGE
SENSITECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD


ENJOY
THE VIDEO



Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.

MORE
INFORMATION



Velvtech



Velvtech tecnologia

Velvtech is the new technology with an Italian patent inspired by the effect of sanding on the surface. Velvtech has silk-like reflections and a velvety soft hand. The naturalness of the surface is emphasised by areas of different opacity that contribute to the depth of the surface.

Velvtech è la nuova tecnologia con brevetto depositato in Italia ispirata all'effetto della levigatura sulla superficie. Velvtech si presenta con riflessi che ricordano la seta e una mano vellutata e morbida. La naturalezza della superficie è evidenziata da zone di diversa opacità che contribuiscono a dare profondità alla superficie.

MORE
INFORMATION



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE
SENSITECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY
THE VIDEO



WARNING FOR POLISHED AND VELVET FINISHES

For medium traffic residential or commercial floors.
Per pavimenti residenziali o commerciali a medio traffico.

Avoid hotel lobbies and areas transited by hard-wheeled trolleys.
Evitare hall di ingresso di hotel e di zone soggette a transito di carrelli con ruote dure.

Polished and Velvet finishes are intended for areas where anti-slip performance is not required (for individual values please refer to data sheet). As an exception, DCOF (ANSI A326.3) value, for Velvet alone, is >0.42 Wet.
Polished e Velvet sono destinate a spazi in cui non siano richieste prestazioni antiscivolo (per le quali si rimanda alla scheda tecnica). Fa eccezione il valore di DCOF (ANSI A326.3) che per la sola Velvet è >0,42Wet.

Preserve the surface with soft pads for furniture and chair legs.
Preservare la superficie tramite sistemi di protezione dei piedini in metallo di mobili e sedie.

If the product is installed close to the entrance, use a door-mat for the entire width of the entrance to scratch away residual dirt or moisture on the soles of shoes.
Se il prodotto è a diretto contatto con l'esterno, prevedere dispositivi di assorbimento dell'umidità e dello sporco (stuoi fissi o mobili).

For installation and maintenance, follow the instructions on our website.
Per installazione e manutenzione, attenersi alle istruzioni riportate sul nostro sito.

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. - Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.



INTERIOR DESIGN PROJECTS by

SILVIA FANTICELLI

silviafanticelli.com

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



MARVEL DIVA RANGE
SENSITECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY
THE VIDEO





Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group B1a
Compliant with standards ISO 13006 annex G group B1a
Conforme alla norma EN 14411 Appendice G gruppo B1a
Conforme alla norma ISO 13006 Appendice G gruppo B1a

Gres porcellanato - Rettificato monocalibro

160x320 cm - 63"x126" $\pm$ 6 mm
120x278 cm - 47¹/₄"x109¹/₂" $\pm$ 6 mm
120x240 cm - 47¹/₄"x94¹/₂" $\pm$ 9 mm
120x120 cm - 47¹/₄"x47¹/₄" $\pm$ 9 mm
60x120 cm - 23³/₈"x47¹/₄" $\pm$ 9 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles				
		7 cm ≤ N < 15 cm	N ≥ 15 cm		Silk ± 6 mm	Polished ± 6 mm	Polished ± 9 mm	Velvet Velvetech ± 9 mm	Matte Sensitech ± 9 mm
		(mm)	(%)	(mm)					
 Length and width Lunghezza e larghezza Thickness Spessore Straightness of sides Rettilinearità degli spigoli Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
 Surface flatness Planarità	ISO 10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.					
		w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.					
 Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0,5% Individual Maximum 0,6% E _v ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
	ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0,5%			≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %	≤ 0,5 %
 Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N
 Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²
 Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)/(5)	EN 1339 Annex F	-			-	-	-	-	-
 Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
 Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
 Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
 Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
 Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
 Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
 Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)
 Reaction to fire Reazione al fuoco	-	Class A1 or A1 _f Classe A1 oppure A1 _f			A1 - A1 _f	A1 - A1 _f	A1 - A1 _f	A1 - A1 _f	A1 - A1 _f
 Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A	A
		Declared Class Classe dichiarata			LA	LA	LA	LA	LA
		Declared Class Classe dichiarata			HA	-	-	-	HA
 Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	≥ 3	5
 Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			N.C.	N.C.	N.C.	N.C.	R10
	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			0	0	0	0	A+B
	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as 'low slip risk'			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 36 Wet
	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			-	-	-	-	Class P3
	UNE EN 16165 ANNEX C (EX UNE 41901 EX2017)	Declared value Valore dichiarato			-	-	-	-	Class C2
Coefficient of friction (COF) Coefficiente di attrito		B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata		> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico		ANSI A 326,3	-		dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,42	wet DCOF ≥ 0,50



Wall tiles - Rectified monocaliber

Compliant with standards EN 14411 annex L group BIII
Compliant with standards ISO 13006 annex L group BIII
Conforme alla norma EN 14411 Appendice L gruppo BIII
Conforme alla norma ISO 13006 Appendice L gruppo BIII

Rivestimento - Rettificato monocalibro

50x120 cm - 19⁵/₈"x47¹/₄" $\pm$ 8,5 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Wall tiles	
			7 cm ≤ N < 15 cm	N ≥ 15 cm			
	Length and width Lunghezza e larghezza	ISO 10545-2	(mm)	(%)	(mm)		
	Thickness Spessore		± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme	
	Straightness of sides Rettilineità degli spigoli		± 0,5 (**)	± 10 (**)	± 0,5 (**)	Suitable for Conforme	
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme	
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme	3D WALL Not applicable Non applicabile
	e.c. ± 0,6 Rect.		e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.			
	w. ± 0,6 Rect.		w. ± 0,4 Rect.	w. ± 1,8 Rect.			
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20%	
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
	Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)	
	Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	
	Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	
	Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb	

^(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
^(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, della spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
^(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
^(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(1). Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(2). Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(3). For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(5). Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.

^(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
^(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, della spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
^(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
^(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

INDEX




INSPIRATION



IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECS



MARVEL DIVA RANGE
SENSITECH & VELVETECH
TECHNOLOGY
TECHNICAL SPECIFICATIONS
MARVEL WORLD

ENJOY THE VIDEO



Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.


Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali




Product certifications / Certificazioni di prodotto



Product declarations / Dichiarazioni di prodotto



Certification for buildings / Rating dell'edificio



Certifications for export to international markets*



Ratings and memberships



MARVELWORLD

A world of emotions

Marvel World encompasses all the marble-look surfaces of Atlas Concorde in a single tool capable of offering ample creative potential: a complete stylistic project for inspiration, color range, and availability of formats and decors.

Marvel World racchiude tutte le superfici effetto marmo di Atlas Concorde in un unico strumento in grado di offrire ampie potenzialità creative: un progetto stilistico completo per ispirazione, ampiezza cromatica e disponibilità di formati e decori.



DISCOVER
MARVEL WORLD

* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.



atlasconcorde.com

Copyright 2024 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) - Italia)
September 2024