

MYCRO

HYPER™
LONG LIVE BEAUTY

**CERAMIC
EVOLUTION**

Linee essenziali, ritmo modulare.
Superfici precise, libertà progettuale.

MYCRO

HYPERTM
LONG LIVE BEAUTY

CERAMIC
EVOLUTION

Essential lines, modular rhythm.
Precise surfaces, design freedom.



HYPERTM

Una raccolta di progetti che esalta l'estetica dei materiali con le più alte prestazioni del gres porcellanato a tutto spessore, resistente e inalterabile nel tempo. Ogni prodotto è ottenuto attraverso la miscelazione di materie prime che creano superfici uniche e irripetibili nella loro componente tecnica e stilistica, progettate per dare spazio alle emozioni più intense. HyperTM è garanzia di affidabilità e bellezza oltre il tempo e lo spazio fisico.

This collection of projects enhances material aesthetics with the ultra-high performance of full-body porcelain stoneware that is resistant and immune to change. Every product is achieved by mixing raw materials to create surfaces that evoke high-intensity emotions thanks to their unique unrepeatable technical components and style. HyperTM is a guarantee of reliability and beauty that goes beyond time and physical space.

INDICE
INDEX



MYCRO B
8



MYCRO A
12



MYCRO AG
18



MYCRO WX
22



MYCRO MG
28



MYCRO GN
32

MIYCRO



MYCRO

ATTITUDINE ARCHITETTONICA
PER NUOVE VISIONI ABITATIVE.

AN ARCHITECTURAL MINDSET
FOR NEW VISIONS OF LIVING.

Mycro è espressione
di un'evoluzione
ceramica che parla
sempre più il linguaggio
dell'architettura.

Una sintesi virtuosa tra
essenzialità, modularità
e rigore al servizio di un
pensiero che ambisce a
proporre nuove visioni
progettuali.

Mycro is the expression of a ceramic evolution
that increasingly speaks the language of
architecture. It is a virtuous synergy of essential
design, modularity and precision at the service
of a philosophy focused on delivering new
design visions.



MYCRO WX & MYCRO B - MYCRO - HYPER™

MYCRO 12WX RM

MYCRO 12OB RM

MYCRO RG0WX RM



MYCRO B - MYCRO - HYPER™

MYCRO 120B RM



MYCRO WX & MYCRO B - MYCRO - HYPER™

MYCRO 12WX RM
MYCRO 120B RM
MYCRO R60WX RM





MYCRO AL - MYCRO - HYPER™

MYCRO 120AL

MYCRO AL - MYCRO - HYPER™
MYCRO 120AL





6 colori neutri offrono
molteplici spunti per
valorizzare le scelte di stile
e composizione attraverso
contesti che, forti di
un'eleganza essenziale,
recitano un innato ruolo
da protagonisti.

6 neutral colours offer multiple stimuli for
enhancing style and composition choices that
make contexts stand out naturally thanks to
their minimalist elegance.

MYCRO AG - MYCRO - HYPER™

MYCRO 36AG RM
MYCRO 60AG RM






MYCRO AG - MYCRO - HYPER™

MYCRO 36AG RM
MYCRO 60AG RM

MYCRO AG - MYCRO - HYPER™

MYCRO 36AG RM
MYCRO 60AG RM





MYCRO WX - MYCRO - HYPER™

MYCRO 12WXL
MYCRO 120WX RM
MYCRO R12B RM



MYCRO WX - MYCRO - HYPER™

MYCRO 12WXL
MYCRO 120WX RM



MYCRO WX - MYCRO - HYPER™

MYCRO 120WX RM

A close-up photograph of a wall or floor made of large, light-colored ceramic tiles. The tiles are arranged in a pattern that creates strong diagonal lines across the frame. The lighting is soft, highlighting the texture of the tiles.

4 formati invitano a
concepire la modularità
come elemento di valore
architettonico. Espressioni
di una razionalità
compositiva che si traduce
in elevata versatilità
progettuale.

4 formats present modularity as an element
of architectural prestige. Expressions of
compositional rationality that ensure advanced
design versatility.

MYCRO WX & MYCRO MG - MYCRO - HYPER™

MYCRO 12WXL

MYCRO 12MG RM

MYCRO 120MG RM





MYCRO WX & MYCRO MG - MYCRO - HYPER™

MYCRO 12WXL
MYCRO 120MG RM

MYCRO WX & MYCRO MG - MYCRO - HYPER™
MYCRO 12WXL
MYCRO 120MG RM
MYCRO 120MG RM





MYCRO GN - MYCRO - HYPER™

MYCRO 120GNL



MYCRO GN - MYCRO - HYPER™
MYCRO 1206NL

MYCRO GN - MYCRO - HYPER™
MYCRO 1206NL





3 finiture – con
differenti gradazioni di
tattilità e luminosità –
permettono di attribuire
a ogni progetto la giusta
personalità, in equilibrio
tra inclinazione stilistica
e resa prestazionale.

3 finishes – with different levels of texture
and brightness – enhance any project with the
perfect personality and an ideal balance of style
and performance.


THROUGH-BODY PORCELAIN TILE / GRES PORCELLANATO A TUTTA MASSA
HIGH PERFORMANCE + RESTORABLE POLISHED FINISH *
CONFORME / ACCORDING TO
UNI EN 14411 - G BIa



MYCRO B



Stucchi consigliati / Recommended grouts



120x120 - 48"x48"



60x120 - 24"x48"



60x60 - 24"x24"



30x60 - 12"x24"



	MYCRO 120B RM 200012	MYCRO 12B RM 200027	MYCRO 60B RM 200018	MYCRO 36B RM 200416
	MYCRO 120BL 200038	MYCRO 12BL 200044		
	MYCRO R120B RM 200050		MYCRO R60B RM 200056	

* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

MYCRO A



Stucchi consigliati / Recommended grouts



120x120 - 48"x48"



60x120 - 24"x48"



60x60 - 24"x24"



30x60 - 12"x24"

	MYCRO 120A RM 200011	MYCRO 12A RM 200017	MYCRO 60A RM 200032	MYCRO 36A RM 200415
	MYCRO 120AL 200037	MYCRO 12AL 200043		
	MYCRO R120A RM 200049		MYCRO R60A RM 200055	


* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

THROUGH-BODY PORCELAIN TILE / GRES PORCELLANATO A TUTTA MASSA
HIGH PERFORMANCE + RESTORABLE POLISHED FINISH *
CONFORME / ACCORDING TO
UNI EN 14411 - G BIa



MYCRO WX

MYCRO AG





Stucchi consigliati / Recommended grouts




Stucchi consigliati / Recommended grouts



				
	120x120 - 48"x48"	60x120 - 24"x48"	60x60 - 24"x24"	30x60 - 12"x24"
   	MYCRO 120WX RM 200013	MYCRO 12WX RM 200028	MYCRO 60WX RM 200033	MYCRO 36WX RM 200417
   	MYCRO 120WXL 200039	MYCRO 12WXL 200045		
    	MYCRO R120WX RM 200051		MYCRO R60WX RM 200057	

* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.


				
	120x120 - 48"x48"	60x120 - 24"x48"	60x60 - 24"x24"	30x60 - 12"x24"
   	MYCRO 120AG RM 200016	MYCRO 12AG RM 200031	MYCRO 60AG RM 200036	MYCRO 36AG RM 200420
   	MYCRO 120AGL 200042	MYCRO 12AGL 200048		
    	MYCRO R120AG RM 200054		MYCRO R60AG RM 200060	

* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

MYCRO MG



Stucchi consigliati / Recommended grouts



120x120 - 48"x48"



60x120 - 24"x48"



60x60 - 24"x24"



30x60 - 12"x24"


10		N		MYCRO 120MG RM 200015	MYCRO 12MG RM 200030	MYCRO 60MG RM 200035	MYCRO 36MG RM 200419
10		L		MYCRO 120MGL 200041	MYCRO 12MGL 200047		
10		N		MYCRO R120MG RM 200053	MYCRO R60MG RM 200059		

* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

MYCRO GN



Stucchi consigliati / Recommended grouts



120x120 - 48"x48"



60x120 - 24"x48"



60x60 - 24"x24"



30x60 - 12"x24"

10				MYCRO 120GN RM 200014	MYCRO 12GN RM 200029	MYCRO 60GN RM 200034	MYCRO 36GN RM 200418
10				MYCRO 120GNL 200040	MYCRO 12GNL 200046		
10				MYCRO R120GN RM 200052	MYCRO R60GN RM 200058		

* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

THROUGH-BODY PORCELAIN TILE / GRES PORCELLANATO A TUTTA MASSA
HIGH PERFORMANCE + RESTORABLE POLISHED FINISH *




CONFORME / ACCORDING TO
UNI EN 14411 - G Bia



I pezzi speciali ed i fondi possono presentare leggere differenze di tonalità fra di loro. / Special pieces and backgrounds can have slightly different shades from one another.

Il bordo può mostrare una piccola diversità cromatica fra la superficie ed il corpo del pezzo ceramico. / There can be a slight colour difference on the edge between the surface and the main ceramic piece.

PEZZI SPECIALI / SPECIAL PIECES

N															
	6x120-2.4"x48" Δ 6			6x60-2.4"x24" Δ 10			120x32,5-48"x12,8" Δ 2			6x120-2.4"x48" Δ 6			6x60-2.4"x24" Δ 10		
MYCRO B	MYCRO BT120B 200515			MYCRO BT60B 200503			MYCRO G120B 200527			MYCRO BT60BL 200509			MYCRO BT120BL 200521		
MYCRO A	MYCRO BT120A 200514			MYCRO BT60A 200502			MYCRO G120A 200526			MYCRO BT60AL 200508			MYCRO BT120AL 200520		
MYCRO WX	MYCRO BT120WX 200516			MYCRO BT60WX 200504			MYCRO G120WX 200528			MYCRO BT60WXL 200510			MYCRO BT120WXL 200522		
MYCRO AG	MYCRO BT120AG 200519			MYCRO BT60AG 200507			MYCRO G120AG 200531			MYCRO BT60AGL 200513			MYCRO BT120AGL 200525		
MYCRO MG	MYCRO BT120MG 200518			MYCRO BT60MG 200506			MYCRO G120MG 200530			MYCRO BT60MGL 200512			MYCRO BT120MGL 200524		
MYCRO GN	MYCRO BT120GN 200517			MYCRO BT60GN 200505			MYCRO G120GN 200529			MYCRO BT60GNL 200511			MYCRO BT120GNL 200523		

IMBALLI / PACKAGING

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPESSORE THICKNESS	SCATOLA / BOX			PALLET		
			PZ/BOX PCS/BOX	MQ/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MQ/PALLET SM/PALLET	KG/PALLET KG/PALLET
120x120-48"x48"	RECTIFIED	10	1	1,44	33,70	36	51,84	1266,5
60x120-24"x48"	RECTIFIED	10	2	1,44	31,50	30	43,20	965,50
60x60-24"x24"	RECTIFIED	10	3	1,08	25,27	40	43,20	1025,00
30x60-12"x24"	RECTIFIED	10	6	1,08	24,40	40	43,20	991,40

CARATTERISTICHE TECNICHE SPECIFICHE / TECHNICAL FEATURES SPECIFICATIONS

	DIN EN 16165 Annex B (DIN 51130) (R)	DIN EN 16165 Annex A (DIN 51097) (A+B+C)	B.C.R. DM 14/6/89 N. 236		PENDULUM BS EN16165 ANNEX C / BS7976 (INGLESE)	PENDULUM AS/NZS 4856 (AUSTRALIANO)	PENDULUM UNE 41901/ 12633 (SPAGNOLO)	BOT 3000 (DCOF) ANSI 326.3 (AMERICANO)
			C.A.	G.B.				
MYCRO RM	R10	A	>0.4	>0.4	>25	P1	1	>0,42
MYCRO R	R11	C	>0.4	>0.4	>36	P4	1	>0,42

* On account of the nature of the product that maintains its aesthetic characteristics throughout the entire body of the material, the polished finish can be restored to eliminate any small surface marks that may have been generated by years of foot traffic.

Caratteristiche Tecniche Gres Porcellanato
Technical Specifications Porcelain Stoneware

CONFORME / ACCORDING TO
UNI EN 14411 - G Bia

CARATTERISTICA Specification	METODO DI PROVA Test methods	REQUISITI PREVISTI DALLA NORMA Requirements in accordance to the standards	VALORE MEDIO Average value
 DIMENSIONI E ASPETTO DIMENSIONS AND APPEARANCE	ISO 10545-2	PROSPETTO G.1 PROSPECT G.1	CONFORME COMPLIANT
 ASSORBIMENTO D'ACQUA WATER ABSORPTION	ISO 10545-3	≤ 0,5%	< 0,1%
 RESISTENZA A FLESSIONE FLEXURAL RESISTANCE		min. 35 N/mm ²	> 45 N/mm ²
 SFORZO DI ROTTURA MODULUS OF RUPTURE	ISO 10545-4	SPESSORE / THICKNESS ≥ 7,5 mm: min. 1300N	6,5 mm 1800 N*
		SPESSORE* THICKNESS*	10 mm 3000 N*
		SPESSORE / THICKNESS < 7,5 mm: min. 1300 N	20 mm 13000 N*
 RESISTENZA ALL'ABRAZIONE PROFONDA DEEP ABRASION RESISTANCE	ISO 10545-6	≤ 175 mm ³	< 140 mm ³
 COEFFICIENTE DILATAZIONE TERMICA LINEARE (α) LINEAR EXPANSION THERMIC COEFFICIENT	ISO 10545-8	METODO DISPONIBILE AVAILABLE ON REQUEST	≤ 7x10 ⁻⁶ °C ⁻¹
 RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO SUDDEN TEMPERATURE CHANGES	ISO 10545-9	METODO DISPONIBILE AVAILABLE ON REQUEST	RESISTE RESISTANT
 RESISTENZA AL GELO FROST RESISTANCE	ISO 10545-12	RICHIESTA ALWAYS TESTED	RESISTE RESISTANT
 PRODOTTI CHIMICI AD USO DOMESTICO ED ADDITIVI PER PISCINA HOUSEHOLD CHEMICALS AND SWIMMING POOL WATER CLEANSERS		min. B	min. B
ACIDI ED ALCALI A BASSA CONCENTRAZIONE ACIDS AND LOW CONCENTRATION ALKALIS	ISO 10545-13	DA LA, LB A LC FROM LA, LB TO LC	DA LA, LB A LC FROM LA, LB TO LC
ACIDI ED ALCALI AD ALTA CONCENTRAZIONE ACIDS AND HIGH CONCENTRATION ALKALIS		METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
 RESISTENZA ALLE MACCHIE UGL STAIN RESISTANCE UGL	ISO 10545-14	METODO DISPONIBILE AVAILABLE ON REQUEST	METODO DISPONIBILE AVAILABLE ON REQUEST
RESISTENZA ALLE MACCHIE GL STAIN RESISTANCE GL		min. 3	min. 3

* VALORI RIFERITI AL FORMATO 60X60 / VALUES REFERRED TO 60X60 SIZE

INDICAZIONI D'USO
INDICATIONS FOR USE



Pavimento
Floor tiles



Rivestimento
Wall tiles

DESTINAZIONI D'USO
SUGGESTED APPLICATIONS



Abitazioni
Domestic purpose



Commerciale leggero
Light commercial



Commerciale
Commercial



Commerciale pesante
Heavy traffic area



Esterni
Outdoor floor

SUPERFICI
SURFACES

Finitura
Finish



Naturale
Natural



* Levigato
Polished

Aspetto superficiale
Surface look



Opaco
Matt



Lucido ripristinabile
Restorable glossy

Bordo
Edge



Rettificato monocalibro
Monocaliber, rectified

STONALIZZAZIONE
SHADE VARIATION

V2



SPESSORE
THICKNESS



CARATTERISTICHE DI VENDITA
SALES CHARACTERISTICS



Imballo.
Packaging.



Prodotto venduto al pezzo.
Product sold per item.

Tutti i nostri prodotti, sia al mq che al pezzo, sono
venduti unicamente a scatola completa.
All our products are sold only in complete boxes, whether
the unit of measure is per item or per square metre.

* Le superfici con finitura lappata lucida e levigata sono consigliate
per qualsiasi tipo di rivestimento e per pavimenti residenziali o
per superfici calpestabili che non hanno un diretto collegamento
con l'esterno o che hanno accessi protetti da appositi stuoi.
Come è noto tutte le superfici lucide subiscono con l'uso un
naturale processo di opacizzazione. Nel caso dei materiali in
gres porcellanato di Imola questo processo è più lento rispetto a
qualsiasi altro materiale naturale lavorato a lucido come marmo,
pietra, granito.
Surfaces with a honed and polished gloss finish are recommended
for any kind of wall tile, residential floor or floors that are not directly
connected with the outdoors or whose entrances are protected by
mats. As is well known, all gloss surfaces naturally lose their shine
over time. With Imola porcelain stoneware this process is slower
than other honed natural materials like marble, granite or stone.

A brand of
Cooperativa Ceramica d'Imola S.c.

Via V. Veneto, 13
40026 Imola (BO) Italia
Tel. +39 0542 601601
Fax +39 0542 31749

COOPERATIVA

C E R A M I C A

IMOLA - DAL 1874



FARE FUTURO
FURTHER
TOGETHER